

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	166	(324/644.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:48
S2	710	(324/642,637,629,600.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:02
S3	106	S1 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:02
S4	359	S2 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:19
S5	2	S3 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:48
S6	2	S4 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:27
S7	1034253	(position\$5 locat\$5 plac\$7) adj2 (assembly unit system device apparatus machine mechanism section station means module set instrument tool circuit equipment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:45

S8	976864	S7 and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:01
S9	356811	S8 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:32
S10	314579	S8 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identifi\$7) near\$3 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:06
S11	3125	S9 and coil near\$5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:09
S12	2819	S10 and coil near\$5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:14
S13	9	S11 and ((helical\$3 adj twist\$5 adj (line conductor)) (helical\$3 adj2 (line conductor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:20
S14	5	S12 and ((helical\$3 adj twist\$5 adj (line conductor)) (helical\$3 adj2 (line conductor)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:06

S15	1413	(324/326-329,226.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:20
S16	1172	(324/207.16,207.17,207.26.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:21
S17	354	(340/426.19,489,524.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:22
S18	1892	(340/539.13,686.1,815.58,825.36,825.49.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:24
S19	1666	(340/982,987,988.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:25
S20	566	(340/991-994.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:25
S21	111	(340/995.17,995.25,995.28.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:25

S22	1779	(342/22,386,450,457,459.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:27
S23	1576	(342/357.01,357.06,357.08,357.09,357.17.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:27
S24	306	(318/652.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:29
S25	841	S15 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:34
S26	904	S16 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:35
S27	218	S17 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:35
S28	1408	S18 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:36

S29	1334	S19 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:37
S30	438	S20 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:38
S31	109	S21 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:38
S32	1404	S22 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:39
S33	1515	S23 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:40
S34	234	S24 and (check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near\$5 (position location place)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:44
S35	149	S25 and coil near\$5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:48

S36	146	S26 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:49
S37	0	S27 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:05
S38	24	S28 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:10
S39	8	S29 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:29
S40	1	S30 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:02
S41	1	S31 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:12
S42	21	S32 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:18

S43	1	S33 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:16
S44	1	S34 and coil near5 (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:17
S45	5	(vincent near2 nguyen) and (nest\$ azimuth\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:07
S46	351	(246/2R,20,122R.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:08
S47	2215	(340/573.1,573.3,573.4.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:50
S48	1211	(340/933-936.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:50
S49	353	(340/938,939,941.ccls.) and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 07:50

S50	8	S46 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:05
S51	27	S47 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:05
S52	11	S48 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:05
S53	23	S49 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:35
S54	0	S50 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:07
S55	0	S51 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:07
S56	0	S52 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:07

S57	0	S53 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:07
S58	0	S46 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:08
S59	0	S47 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:08
S60	0	S48 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:08
S61	0	S49 and (helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:29
S62	317	(helical\$3 near2 twist\$5) with (line conductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:08
S63	294	S62 and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:28

S64	9	S63 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:25
S65	48	(nest\$3 near2 coil) with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:25
S66	1	S65 and radi\$5 same azimuth\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:27
S67	45	S65 and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:34
S68	1	S67 and (helical\$3 near2 twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:47
S69	1166	((check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near3 (position location place)) same azimuth\$5 same radi\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:54
S70	1100	S69 and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:57

S71	32	S70 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 10:08
S72	0	S71 and (helical\$3 near2 twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:35
S73	0	S69 and (helical\$3 near2 twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 08:35
S74	1047946	(check\$3 detect\$3 sens\$3 measur\$5 comput\$3 calculat\$3 \$2valuat\$3 examin\$5 test\$3 determin\$3 recogniz\$3 inspect\$3 anal\$5 monitor\$3 diagnos\$3 identif\$7) near3 (position location coordinate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:55
S75	994709	S74 and @ad<"20030930"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 09:57
S76	10176	S75 and coil with (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:07
S77	9	S76 and (helical\$3 near2 twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:08

S78	1889	S75 and ((nest\$3 embed\$5 enclos\$5 enfold\$5) near2 coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:06
S79	696	S78 and coil same (perpendicular\$3 orthogonal\$3 vertical\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:08
S80	2	S79 and (helical\$3 with twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:10
S81	3	S79 and (helical\$3 same twist\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/03 11:10